























Equipment installed by a professional

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 MOTORIZATION FOR ROLLING SHUTTER		S&SO RS100 io
		S&SO RS100 io Hybrid
		OXIMO io / OXIMO S io
		RS100 Solar io
		Slim RS receiver
		IZYMO shutter io
		ILMO 50 V2 io
		SOLUS Plug&Play 50 io
 SWINGING SHUTTER		TWIPSO io
		YSLO custom io
 MOTORIZATION FOR WINDOWS AND SLIDING DOORS		YSLO Flex io
		Sliding air io
 MOTORIZATION FOR EXTERNAL VENETIAN BLINDS		J4S io Protect
		J4 io
		J4 io Protect
		Slim EVB reciever (Hirschmann)
		Slime EVB reciever (Cable)
 MOTORIZATION FOR INDOOR & OUTDOOR SCREENS		SUNEA Screen io
		SUNILUS Screen io
		PERGOLA Screen io
 MOTORIZATION FOR INDOOR ROLLER BLIND		SONESSE 40 io






Equipment installed by a professional

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 MOTORIZATION FOR GARAGE DOOR*		DEXXO Pro io
		DEXXO Compact io (600, 750, 1000)
		DEXXO SMART io
		ROLLIXO io
		b-eba io
		ELIXO 500 3S M io
		ELIXO 500 3S io
 MOTORIZATION FOR GATES*		ELIXO SMART io
		CBx 3S io (Axovia, Ixengo, Invisio, Ixengo L)
 RECEIVER FOR ACCESS MOTORIZATIONS		b-eba io
		Standard Receiver io (not providing real feedback in application)
 ALARM SYSTEM		HOME ALARM ESSENTIAL HOME ALARM ADVACED SOMFY ONE + SOMFY ONE















Equipment installed by a professional

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 HEATING MANAGEMENT	somfy.	io heating interface
		io thermostatic valve
		Thermostat wired io
		Thermostat radio io
 LIGHTING MANAGEMENT	somfy.	Outdoor io lighting receiver ON/OFF
		Dimmable io outdoor lighting receiver
		Led outdoor dimmable light receiver White
		Led dimmable light receiver White
		Led Colour dimmable light receiver
		Izymo ON/OFF micro io lighting receiver
		IZYMO dimming io micro receiver
		Tubelite white reciever io
LED white reciever io		
 REMOTE CONTROL SOCKET	somfy.	ON/OFF Plug io
 MOTORIZATION FOR PERGOLA AWNING	somfy.	PERGOLA io
		PERGOLA Screen io
		IO pergola control unit
		IO pergola control unit Louvre
 MOTORIZATION FOR VERTICAL AWNING	somfy.	MAESTRIA+ io
		SUNEA io
		SUNILUS io
		Slim awning receiver
		SUNEA SCR40 IO
 CONSUMPTION MONITORING ELECTRICAL	somfy.	Joule-effect consumption sensor
		PAC consumption sensor

Equipment installed by a professional









Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 MOTORIZATION AND RECEIVER FOR ROLLER SHUTTERS		OXIMO wirefree RTS
		OXIMO RTS
		ALTUS 50 RTS
		LT 50 RTS
		LT 50 CSI RTS
		RTS window unit retrofit kit
		RTS French window unit retrofit kit
		RTS window retrofit kit
		RTS patio-door retrofit kit
		CENTRALIS Uno RTS
		CENTRALIS INDOOR RTS
		Roller shutter micro receiver
		RTS dry contact receiver
		RTS Platine receiver
 MOTORIZATION FOR SWING SHUTTER		YSLO made to measure RTS
		YSLO Flex RTS
		YSLO Easy made to measure RTS
 MOTORIZATION FOR SLIDING SHUTTER		Orato RTS Motorised Rail
 MOTORIZATION FOR INDOOR VENETIAN BLIND		RTS 25 DC
		CORD LIFT wirefree RTS
		ALTUS 40 RTS
		Récepteur 24V intégré et déporté pour variation
 MOTORIZATION FOR INDOOR ROLLER BLIND		ROLL UP wirefree RTS
		SONESSE 30 RTS, SONESSE 40 RTS, SONESSE 50 RTS, SONESSE 30 MODULIS RTS
		ALTEA RTS
		DC RTS receiver
 MOTORIZATION FOR EXTERNAL VENETIAN BLINDS		J4 + receiver RTS*
		Centralis Uno VB RTS*
		Receiver variation slim RTS*
 MOTORIZATION FOR CURTAINS		Glystro 25 / 50 RTS
		Move-lite RTS
		Curtain kit DIY RTS
		Glydea 35 /60 RTS

* ON/OFF or up/down command only. Not compatible with dimming.

Equipment installed by a professional

Compatibility list 2025 v1











APPLICATION	BRAND	COMPATIBLE RANGES
 MOTORIZATION FOR GATES*		Elixo 500 RTS
		Axovia (180B, 220B)
		CBx 3S RTS
		FX 24 et FX 230
		Standard RTS** receiver
 MOTORISATION FOR GARAGE DOOR* MOTOR		DEXXO (PRO, OPTIMO, COMPACT) RTS
		ROLLIXO RTS
 MOTORISATION FOR TERRACE AWNING		OREA RTS
		SUNEA 50 CSI RTS
		LT50 CSI RTS
		ALTUS RTS
		LOGGIA 50 RTS
		RTS universal receiver
		Slim RTS universal receiver
 LIGHTING MANAGEMENT		RTS indoor lighting receiver
		RTS outdoor lighting receiver
		Slim RTS lighting receiver
		1 and 3 metre lighting ramp

* In accordance with the standard, we advise you to install a set of cells.

** Manual control function only.

Equipment installed by a professional

Compatibility list 2025 v1





APPLICATION	BRAND	COMPATIBLE RANGES
 MOTORISATION FOR ROLLING SHUTTER		RMS 1000 & RMS 2000
		ROLLERDRIVE
		DIRIGO
		CENTRALIS Uno RTS Roller shutter micro receiver
 MOTORISATION FOR SWING SHUTTER		SYNAPSIA RTS / SYNAPSIA 1000 (io)
 MANAGEMENT OF LIGHTING AND ELECTRICAL APPLIANCES		Indoor remote control socket ON /OFF
		ON/OFF garden power strip
		External remote control socket ON/OFF
		Remote control socket ON/OFF
		Indoor lighting receiver
		Outdoor lighting receiver Micro receiver lighting
 MOTORISATION FOR GARAGE DOOR*		GDK 3000 (manufactured from November 2008)
		GDK 700
		GDK 4000 (manufactured from November 2008)
		GDK 1100
		LS 5000 (manufactured from November 2008)
		LS 9000 (manufactured from November 2008)
		LS 15
		MGD 5
 MOTORISATION FOR SWING GATE* OPERATOR For registration on TAHOMA® switch, a relay remote control is required (ref. 1841194) or the remote control of TAHOMA® Serenity remote control (ref.2410370) for electronics before june 2021.		SGA (with BUS electronics)
		EVOLVIA 400
		EVOLVIA 450
		PASSEO 800
		SGS 400
		SGS 501 (manufactured from July 2009)
		SGS 601 (manufactured from July 2009)
		LS 360 (manufactured from July 2009)
		EXAVIA 500
		WISPA 800
		GO SC 500
		GO AR 400
		LOCKYVIA

* In accordance with the standard, we advise you to install a set of cells.

** Manual control function only.

Equipment installed by a professional



















Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 <p>MOTORISATION FOR SLIDING GATE* MOTORISATION For registration on TAHOMA® switch, a relay remote control is required (ref. 1841194) or the remote control of TAHOMA® Serenity remote control (ref.2410370) for electronics before june 2021.</p>		FREEVIA 280
		FREEVIA 290
		FREEVIA 300
		FREEVIA 390
		FREEVIA 400
		FREEVIA 600
		LS 420
		LS 430
		LS 440
		LS 650
 <p>RECEIVER FOR ACCESS</p>		SLIDYMOOVE 300
		SLIDYMOOVE 600
		GO SLG 7
		Gate / garage door receiver

* In accordance with the standard, we advise you to install a set of cells.







** Manual control function only.

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 CONNECTED THERMOSTAT		Connected wired thermostat*
		Connected radio thermostat*
		Connected wired thermostat V2*
		Connected radio thermostat V2*
 CONNECTED LOCK		Doorlock* / Doorlock PRO*
		Door Keeper*
 SOMFY PROTECT		Somfy Indoor Camera
		Somfy Outdoor Camera
		Somfy ONE
		Somfy ONE +
		Somfy Home Alarm
 IO MODULES		io smoke detector
		io motion detector
		io opening and shock detector
 TEMPERATURE		THERMIS Wirefree IO
 TEMPERATURE and SUN		SUNTEIS IO * available from Q1 2025
 SUN SENSOR		Sunis Wirefree io
 RAIN SENSOR		Ondeis (via Eolis io)
 WINDOW SENSORS		IntelliTAG air io

* Only works with the addition of the Internet gateway (2401400).

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 ACCESSORIES		RJ45 adapter for internet connection
		USB adapter for Enoccean dongle
 SCENE LAUNCHER		AMY io Scenario launcher
		Scenario launcher (SMOOVE)
		WALL SWITCH io
		Izmo io micro-transmitter
		KEYGO io
		KEYTIS 2 IO
		V500 PRO io
		Premium io keypad
 HEATING MANAGEMENT <small>* Cannot be integrated into TaHoma automation systems (diary function day).</small>		Wired programmable thermostat with dry contact*
		Dry contact radio thermostat + receiver
		Pilot wire radio programmer + receiver*
		Wireless thermostat + receiver









Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
<p>SUN PROTECTION (ROLLER SHUTTERS, INDOOR AND AND EXTERNAL BLINDS...)</p>		T3.5 E BHz
		T3 .5 E BHz DC DC / AUTOSUN2 BHz
		T5 E BHz
		T5 AUTO BHz
		T5 AUTOSHORT BHz (with remote board)
		T3.5 HZ.02
		T5 Hz.02
		T5 E Hz
		T5 AUTOSHORT Hz
		T6 Hz.02
		T3.5 E HZ.CC / AUTOSUN 1 ET 2
		DMI 5 Hz.01
		DMI 6 Hz.01
		T3.5 ESP Hz CC / SILISHADE
		T3.5 ESP Hz CC
		T5 ESP Hz
T5 ESP Hz CC		
T6 ESP Hz		
T5 ZSP Hz		
<p>CONTROL POINT</p>		BHz transmitter LiveIn2 scenario
<p>SUN SENSOR</p>		Outdoor BHz sun sensor
<p>REMOTE CONTROL SOCKET</p>		Hz receiver Micro-receiver for roller shutter Hz ON/OFF socket 3600 W
<p>MOTORISATION FOR GARAGE DOOR</p>		Led CC receiver GM600 GM800 GM1000 SD100 Hz



Compatibility list 2025 v1

APPLICATION	PROTOCOLE	COMPATIBLE RANGES
 MOTORISATION FOR ROLLING SHUTTER		Shutter zigbee 3.0 : Volet Roulant Profalux, Eveno, Flip Marketed since September 2022
 MOTORISATION FOR EXTERNAL AND INDOOR VENETIAN BLINDS		Somfy (indoor only) : Tilt & Lift 25 WF Zigbee, Tilt Only 50 WF Zigbee BSO zigbee 3.0 : Brise soleil orientable Profalux, Eveno, Flip Marketed since February 2023
 MOTORISATION FOR INDOOR & OUTDOOR SCREENS		Somfy : Sonesse 30/40 Zigbee, Sonesse 28/30/40 WF Zigbee, Roll Up 24 WF Zigbee, Tilt Only 50 WF Zigbee Profalux: Blind zigbee 3.0 - Outdoor vertical blind Eveno, Flip Marketed since February 2023
 ZIGBEE MODULES		Smoke detector : Schneider Electric Wiser Smoke sensor (CCT599001, CCT599002, EKO09761, 550B1027)
		Motion sensor : Schneider Electric motion sensor (CCT595011_AS)
		Opening sensor : Schneider Electric Wiser Window/Door sensor (CCT591011_AS)
 TEMPERATURE AND HUMIDITY		Schneider Electric : temperature and humidity sensor (CCT593011_AS) Danfoss : Ally room sensor
 REMOTE CONTROL SOCKET		Somfy : Smart plug zigbee (energy consumption measuring) Schneider : Smart plug
 WATER LEAKAGE SENSOR		Schneider Electric Wiser water leakage (CCT592011_AS)
 LIGHTING MANAGEMENT		Legrand : Connected switch Zigbee 3.0
		Schneider Electric : Connected switch Zigbee 3.0
		Ledvance: Bulbs and strips Zigbee 3.0

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 MOTORISATION FOR ROLLER SHUTTER (ROOF WINDOW)	VELUX	SSL-SML io
 MOTORISATION FOR ROOF WINDOW	VELUX	GGL/GGU Solar GGL/GGU Integra io CVP GGL SCOX5
 MOTORISATION FOR INDOOR & OUTDOOR SCREENS	VELUX	MML
 MOTORISATION FOR PLEATED BLINDS	VELUX	FMG
 MOTORISATION FOR SCREEN	VELUX	GGL/GGU Solar GGL/GGU Integra io CVP GGL SCOX5
 MOTORISATION FOR VENETIAN BLINDS	VELUX	PML
 LIGHTING MANAGEMENT	VELUX	Halogen spotlight io KRA 100 (Velux)
 REMOTE CONTROL SOCKET	VELUX	Plug ON/OFF


Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 PHILIPS HUE LIGHTNING	PHILIPS	Philips Hue range (with V2 bridge)
 PHILIPS HUE BRIDGE	PHILIPS	V1 bridge (round shape)
		V2 bridge (square shape)

* In accordance with the standard, we advise you to install a set of cells.



** Manual control function only.

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 <p>ATLANTIC* RADIATORS Comfort/eco settings are made from the configuration page</p>	atlantic	529807 CALISSIA CO H 750W BLC
		529810 CALISSIA CO H 1000W BLC
		529812 CALISSIA CO H 1250W BLC
		529815 CALISSIA CO H 1500W BLC
		529820 CALISSIA CO H 2000W BLC
		529910 CALISSIA CO V 1000W BLC
		529915 CALISSIA CO V 1500W BLC
		529920 CALISSIA CO V 2000W BLC
		500907 MARADJA DIG CONNECTE BAS 0750W
		500910 MARADJA DIG CONNECTE BAS 1000W
		500915 MARADJA DIG CONNECTE BAS 1500W
		507607 MARADJA PI CONNECTE H 0750W
		507610 MARADJA PI CONNECTE H 1000W
		507612 MARADJA PI CONNECTE H 1250W
		507615 MARADJA PI CONNECTE H 1500W
		507620 MARADJA PI CONNECTE H 2000W
		507710 MARADJA PI CONNECTE V 1000W
		507715 MARADJA PI CONNECTE V 1500W
		507720 MARADJA PI CONNECTE V 2000W
		604110 IRISIUM MOZAIC H 1000W BLC
		604111 IRISIUM ORIGAMY H 1000W BLC
		604114 IRISIUM ORIGAMY V 1500W BLC
		604115 IRISIUM MOZAIC H 1500W BLC
		604210 IRISIUM MOZAIC V 1000W BLC
		604215 IRISIUM MOZAIC V 1500W BLC
		500607 GALAPAGOS H 750W BLC BRILL
		500610 GALAPAGOS H 1000W BLC BRILL
		500612 GALAPAGOS H 1250W BLC BRILL
		500615 GALAPAGOS H 1500W BLC BRILL
		500620 GALAPAGOS H 2000W BLC BRILL
		501310 GALAPAGOS V 1000W BLC BRILL
		501315 GALAPAGOS V 1500W BLC BRILL
		501320 GALAPAGOS V 1800W BLC BRILL
502907 GALAPAGOS B 0700W BLC BRILL		
502910 GALAPAGOS B 1000W BLC BRILL		
502915 GALAPAGOS B 1400W BLC BRILL		


* Ne peuvent être intégrés dans les automatisations TaHoma (Scénario, Smart, Agenda)

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 <p>ATLANTIC* RADIATORS Comfort/eco settings are made from the configuration page</p>		503907 ONIRIS H 750W BLC
		503910 ONIRIS H 1000W BLC
		503912 ONIRIS H 1250W BLC
		503915 ONIRIS H 1500W BLC
		503920 ONIRIS H 2000W BLC
		506244 GALAPAGOS H 1000W GRIS
		507608 DIVALI H 0750W BLC CARAT
		507609 DIVALI H 1000W BLC CARAT
		507611 DIVALI H 1250W BLC CARAT
		507613 DIVALI H 1500W BLC CARAT
		507614 DIVALI H 2000W BLC CARAT
		507616 DIVALI V 1000W BLC CARAT
		507617 DIVALI V 1500W BLC CARAT
		507618 DIVALI V 2000W BLC CARAT
		507619 DIVALI PL 0750W BLC CARAT
		507621 DIVALI PL 1000W BLC CARAT
		507622 DIVALI PL 1500W BLC CARAT
		507623 DIVALI H 0750W GRIS ÉTOILÉ
		507624 DIVALI H 1000W GRIS ÉTOILÉ
		507625 DIVALI H 1250W GRIS ÉTOILÉ
		507626 DIVALI H 1500W GRIS ÉTOILÉ
		507627 DIVALI H 2000W GRIS ÉTOILÉ
		507628 DIVALI V 1000W GRIS ÉTOILÉ
		507629 DIVALI V 1500W GRIS ÉTOILÉ
		507630 DIVALI V 2000W GRIS ÉTOILÉ
		507631 DIVALI PL 0750W GRIS ÉTOILÉ
		507632 DIVALI PL 1000W GRIS ÉTOILÉ
		507633 DIVALI PL 1500W GRIS ÉTOILÉ
		518810 ONIRIS V 1000W BLC
		518815 ONIRIS V 1500W BLC
518820 ONIRIS V 2000W BLC		
602107 ONIRIS PLI 750W BLC		
602110 ONIRIS PLI 1000W BLC		
602115 ONIRIS PLI 1500W BLC		
603110 IRISIUM H 1000W BLC		
603115 IRISIUM H 1500W BLC		


* Cannot be integrated into TaHoma automation systems (Scenario, Smart, Agenda)

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 <p>ATLANTIC* RADIATORS Comfort/eco settings are made from the configuration page</p>	atlantic	603210 IRISIUM V 1000W BLC
		603215 IRISIUM V 1500W BLC
		604211 IRISIUM SERENITY H 1000W BLC
		604212 IRISIUM SERENITY H 1500W BLC
		604213 IRISIUM SERENITY V 1000W BLC
		604214 IRISIUM SERENITY V 1500W BLC
		503105 AGILIA H 500W BLC
		503107 AGILIA H 750W BLC
		503110 AGILIA H 1000W BLC
		503112 AGILIA H 1250W BLC
		503115 AGILIA H 1500W BLC
		503120 AGILIA H 2000W BLC
		518215 AGILIA V 1500W BLC
		518220 AGILIA V 2000W BLC
		518415 AGILIA V 1500W BLC
		501845 GALAPAGOS H 0750W GRIS
		501846 GALAPAGOS H 1000W GRIS
		501847 GALAPAGOS H 1250W GRIS
		501848 GALAPAGOS H 1500W GRIS
		501849 GALAPAGOS H 2000W GRIS
		501850 GALAPAGOS V 1000W GRIS
		501851 GALAPAGOS V 1500W GRIS
		501852 GALAPAGOS V 1800W GRIS
		501853 GALAPAGOS B 0700W GRIS
		501854 GALAPAGOS B 1000W GRIS
		501855 GALAPAGOS B 1400W GRIS
		503908 ONIRIS H 0750W GRIS
		503909 ONIRIS H 1000W GRIS
		503911 ONIRIS H 1250W GRIS
		503913 ONIRIS H 1500W GRIS
		503914 ONIRIS H 2000W GRIS
		503916 ONIRIS V 1000W GRIS
		503917 ONIRIS V 1500W GRIS
503918 ONIRIS V 2000W GRIS		
503919 ONIRIS PLI 0750W GRIS		
503921 ONIRIS PLI 1000W GRIS		



* Cannot be integrated into TaHoma automation systems (Scenario, Smart, Agenda)

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 ATLANTIC RADIATORS* Comfort/eco settings are made from the configuration page		503922 ONIRIS PLI 1500W GRIS
		507637 VERALI H 1500W BLC BR
		507638 VERALI H 1900W BLC BR
		507639 VERALI V 1000W BLC BR
		507640 VERALI V 1500W BLC BR
		507641 VERALI V 2000W BLC BR
		507643 VERALI PL 1500W BLC BR
		507645 VERALI H 1000W NOIR
		507646 VERALI H 1500W NOIR
		507648 VERALI V 1000W NOIR
		507649 VERALI V 1500W NOIR
		507650 VERALI V 2000W NOIR
		507652 VERALI PL 1500W NOIR
		507647 VERALI H 1900W NOIR
		566205 TATOU H 500W BLC
		666416 TATOU H 0300W BLC
		666417 TATOU H 0500W BLC
		666418 TATOU H 0750W BLC
		666419 TATOU H 1000W BLC
		666421 TATOU H 1250W BLC
		666422 TATOU H 1500W BLC
		666423 TATOU H 2000W BLC
		666424 TATOU V 1000W BLC
		666425 TATOU V 1500W BLC
		666426 TATOU V 2000W BLC
		507636 VERALI H 1000W BLC
		529914 NIRVANA NEO H 750W BLC
		529916 NIRVANA NEO H 1000W BLC
		529917 NIRVANA NEO H 1250W BLC
		529918 NIRVANA NEO H 1500W BLC
		529919 NIRVANA NEO H 2000W BLC
		529921 NIRVANA NEO PLI 750W BLC
		529922 NIRVANA NEO PLI 1000W BLC
529923 NIRVANA NEO PLI 1500W BLC		
529911 NIRVANA NEO V 1000W BLC		
529912 NIRVANA NEO V 1500W BLC		



* Cannot be integrated into TaHoma automation systems (Scenario, Smart, Agenda)

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 <p>ATLANTIC RADIATORS* Comfort/eco settings are made from the configuration page</p>	atlantic	529913 NIRVANA NEO V 2000W BLC
		507654 VERALI H 1500W BLC BR
		507655 VERALI H 1900W BLC BR
		507656 VERALI V 1500W BLC BR
		507657 VERALI V 2000W BLC BR
		507658 VERALI PL 1500W BLC BR
		507659 VERALI H 1000W NOIR
		507660 VERALI H 1500W NOIR
		507662 VERALI V 1500W NOIR
		507663 VERALI V 2000W NOIR
		507664 VERALI PL 1500W NOIR
507661 VERALI H 1900W NOIR		
 <p>HEATING MANAGEMENT</p>	atlantic	Pilot wire interface



* Cannot be integrated into TaHoma automation systems (Scenario, Smart, Agenda)

Compatibility list 2025 v1



APPLICATION	BRAND	COMPATIBLE RANGES
 PAC Navilink A59 required	atlantic	Alfea Extensa AI
		Alfea Extensa Duo AI
		Alfea Excellia AI
		Alfea Excellia Duo AI
 BOILER Navipass io & Navilink A59 required	atlantic	Naia 12
		Naia Micro
		Naia Duo
		Naema
CONSUMPTION SENSORS	atlantic	Joule effect consumption sensor
		PAC consumption sensor
GAINNABLE	atlantic	875194 SHOGUN 1.1 200 S3
		875184 SHOGUN 1.1 200 S4
		875185 SHOGUN 1.1 200 S5
		875195 SHOGUN 1.1 200 S6L
		875196 SHOGUN 1.1 200 S3 RT
		875190 SHOGUN 1.1 200 S4 RT
		875191 SHOGUN 1.1 200 S5 RT
		875197 SHOGUN 1.1 200 S6L RT
		875198 SHOGUN 1.1 COMPACT 160 S2
		875199 SHOGUN 1.1 COMPACT 160 S3
		875211 SHOGUN 1.1 COMPACT 160 S4
		875212 SHOGUN 1.1 COMPACT 160 S5L
		875213 SHOGUN 1.1 COMPACT 160 S2 RT
		875214 SHOGUN 1.1 COMPACT 160 S3 RT
		875215 SHOGUN 1.1 COMPACT 160 S4 RT
		875216 SHOGUN 1.1 COMPACT 160 S5L RT

* Cannot be integrated into TaHoma automation systems (Scenario, Smart, Agenda)



Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 <p>THERMOR RADIATORS</p>		482221 EQUATEUR 3 H 0750W
		482231 EQUATEUR 3 H 1000W
		482241 EQUATEUR 3 H 1250W
		482251 EQUATEUR 3 H 1500W
		482271 EQUATEUR 3 H 2000W
		427231 EQUATEUR 3 V 1000W
		427251 EQUATEUR 3 V 1500W
		427271 EQUATEUR 3 V 2000W
		452121 EQUATEUR 3 BAS 0750W
		452131 EQUATEUR 3 BAS 1000W
		452151 EQUATEUR 3 BAS 1500W
		414521 KENYA 3 H 0750W
		414531 KENYA 3 H 1000W
		414541 KENYA 3 H 1250W
		414551 KENYA 3 H 1500W
		414571 KENYA 3 H 2000W
		414631 KENYA 3 V 1000W
		414651 KENYA 3 V 1500W
		414671 KENYA 3 V 2000W
		445211 EMOTION 3 H 0500W
		445221 EMOTION 3 H 0750W
		445231 EMOTION 3 H 1000W
		445241 EMOTION 3 H 1250W
		445251 EMOTION 3 H 1500W
		445271 EMOTION 3 H 2000W
		423631 EMOTION 3 V 1000W
		423651 EMOTION 3 V 1500W
		423671 EMOTION 3 V 2000W

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 <p>THERMOR RADIATORS</p>		493821 BILBAO 3 H 0750W
		493831 BILBAO 3 H 1000W
		493841 BILBAO 3 H 1250W
		493851 BILBAO 3 H 1500W
		493871 BILBAO 3 H 2000W
		494831 BILBAO 3 V 1000W
		494851 BILBAO 3 V 1500W
		494871 BILBAO 3 V 1800W
		494821 BILBAO 3 B 0700W
		494831 BILBAO 3 B 1000W
		494851 BILBAO 3 B 1400W
		480221 OVATION 3 H 0750W
		480231 OVATION 3 H 1000W
		480241 OVATION 3 H 1250W
		480251 OVATION 3 H 1500W
		480271 OVATION 3 H 2000W
		430231 OVATION 3 V 1000W
		430251 OVATION 3 V 1500W
		430271 OVATION 3 V 2000W
		450321 OVATION 3 P 0750W
		450331 OVATION 3 P 1000W
450351 OVATION 3 P 1500W		

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 SAUTER RADIATORS		526310 MALAO HZ 1000W
		526315 SAUTER MALAO HZ 1500W
		MALAO 2000W
		500110 BOLERO AUTO H 1000W
		500110 BOLERO AUTO H 1500W
		500110 BOLERO AUTO H 2000W
		500710 GYALI H 1000W
		500710 GYALI H 1500W
		500710 GYALI H 2000W

Compatibility list: with update 1.21dated NOVEMBER 28, 2023

APPLICATION	BRAND	COMPATIBLE RANGES
POMPE À CHALEUR AIR/AIR*		
WALL	HITACHI	SHIROKUMA S
		SHIROKUMA
		PERFORMANCE
		SUMMIT
CONSOLE	HITACHI	SHIROKUMA
		PERFORMANCE
GAINABLES	HITACHI	MONOZONE (infrared)
		MONOZONE (wired)
		MONOZONE BASSE PRESSION (infrared)
		MONOZONE BASSE PRESSION (wired)
CASSETTES	HITACHI	MONOZONE
MULTI	HITACHI	GROUPES EXTERIEURS
		UNITES INTERIEURES

* Cannot be integrated into TaHoma automation systems (Scenario, Smart, Agenda)



All indoor units since 2013 (A series: RPA, PPA, QXA, PXA, FPA, QPA and subsequent B, C, D, E and F series)
up to airHome units launched in 2022 (PHAE series)

Indoor units before 2013: NH5A, NH6A, NH7A, DH7A and QH8 series are also compatible.


Examples of indoor unit references: RAK-25NH6A, RAD-50PPA, RAK-35REF, RAK-DJ50PHAE...

For all these units, accessory required: SPX-TAG01 gateway sold by HITACHI.

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
AIR/WATER HEAT PUMPS ⁽¹⁾		
AIR-TO-WATER HEAT PUMPS		DAIKIN ALTHERMA 3 H HT DAIKIN ALTHERMA 3 H MT DAIKIN ALTHERMA 3 R DAIKIN ALTHERMA 3 H DAIKIN ALTHERMA R
MONOBLOC HEAT PUMPS		DAIKIN ALTHERMA 3 M DAIKIN ALTHERMA M
HYBRID HEAT PUMPS		DAIKIN ALTHERMA R HYBRID DAIKIN ALTHERMA H HYBRID
WATER/WATER HEAT PUMPS		DAIKIN ALTHERMA 3 WS DAIKIN ALTHERMA 3 GEO DAIKIN ALTHERMA GEO
BOILERS		DAIKIN ALTHERMA 3 C GAS W

⁽¹⁾The Daikin LAN accessory (BRP069A61/A62) or the WLAN adapter (BRP069A71 / BRP069A78) and the DRGATEWAYAA card are required

AIR/AIR HEAT PUMPS ⁽²⁾		
AIR/AIR HEAT PUMPS (REVERSIBLE AIR CONDITIONING)		WALL URURU SARARA FTXZ-N
		WALL DAIKIN EMURA 3 FTXJ-A
		WALL STYLISH CTXA-A/B ET FTXA-A/B
		WALL STYLISH OPTIMISED HEATING FTXTA-B
		WALL PERFERA CTXM-R ET FTXM-R
		WALL PERFERA OPTIMISED HEATING FTXTM-R
		WALL COMFORA FTXP-M(9) ET FTXP-N
		WALL SENSIRA FTXF-D
		CONSOLE PERFERA CVXM-A ET FVXM-A
		CONSOLE PERFERA OPTIMISED HEATING FVXM-A
		CONSOLE DOUBLE FLUX FVXM-F
		CONSOLE NON CARROSSÉE FNA-A(9)
		CONSOLE CARROSSÉE VERTICALE FVA-A
		GAINABLE EXTRA PLAT FDXM-F(9)
		GAINABLE STANDARD FBA-A(9)
		CASSETTE 600X600 FFA-A(9)
		CASSETTE 900X900 FCAG-B
CASSETTE 900X900 À HAUT RENDEMENT FCA-HG-H		
CASSETTE APPARENTE FUA-A		
PLAFONNIER APPARENT FHA-A(9)		

⁽²⁾ The Daikin WLAN accessory or adapter is required for compatibility with TaHoma.

NB: This list is not complete.

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 MUSIC / HOME CINEMA		Symfonisk range (via SONOS app)
	SONOS	PLAY:1
		ONE
		BEAM
		PLAY:3
		PLAY:5
		PLAYBAR
		PLAYBASE
		SUB
		CONNECT
CONNECT:AMP		


















Compatibility list 2025 v1

APPLICATION	APP	COMPATIBLE RANGES	
	 SmartThings Samsung SmartThings*	Compatible with Samsung SmartThings. Please download the SmartThings app to establish the link between SmartThings and TaHoma. More information on the TaHoma app in the «Partners» tab*	
APPLICATION	APP	COMPATIBLE RANGES	
 MOTORISATION FOR ROLLING SHUTTER		S&SO RS100 io	
 MOTORISATION FOR SCREEN		S&SO RS100 io Hybrid	
 MOTORISATION FOR EXTERNAL VENETIAN BLINDS		OXIMO io	
 MOTORISATION FOR TERRACE AWNING		ILMO S io	
 MOTORISATION FOR PERGOLA		MAESTRIA io	
 Interior shading		SUNILUS screen io	
 Remote control plug		SUNEA screen io	
<th>APPLICATION</th> <th>APP</th> <th>COMPATIBLE RANGES</th>	APPLICATION	APP	COMPATIBLE RANGES
 MOTORISATION FOR ROLLING SHUTTER		J4 io	
 MOTORISATION FOR SCREEN		EVb Slim receiver	
 MOTORISATION FOR EXTERNAL VENETIAN BLINDS		SUNILUS io	
 MOTORISATION FOR TERRACE AWNING		SUNEA io	
 MOTORISATION FOR PERGOLA		PERGOLA io	
 Interior shading		PERGOLA Screen io	
 Remote control plug		Sonessse 30/40 Zigbee, Sonessse 28/30/40 WF Zigbee, Roll Up 24 WF Zigbee,	
<th>APPLICATION</th> <th>APP</th> <th>COMPATIBLE RANGES</th>	APPLICATION	APP	COMPATIBLE RANGES
	 ASSISTANT GOOGLE	Compatible with Google Assistant. Please download the Google Home app to establish the link between Google Assistant and TaHoma. More information on the TaHoma app in the «Configuration» tab	
<th>APPLICATION</th> <th>APP</th> <th>COMPATIBLE RANGES</th>	APPLICATION	APP	COMPATIBLE RANGES
	 AMAZON ALEXA	Compatible with Amazon Alexa. Please download the Amazon Alexa app to activate the TaHoma «skills». More information about the TaHoma app in the «Configuration» tab.	












* Zigbee, io and RTS devices (Roller Shutters, Interior blind & venetian blinds, External Venetian blinds, Screens, Awnings, Pergolas, Roller blinds, Gates, Garage doors, Lights, Plugs). Gates and Garage doors from end of January 2025. Heating solutions are not supported.

**Compatible TaHoma® Rail-DIN V2 and TaHoma switch

Compatibility list 2025 v1

APPLICATION	BRAND / OFFRE	COMPATIBLE RANGES
 Lighting / Plug	 CÉLIANE WITH NETATMO	Control socket
		The connected socket
		Lighting micromodule
 HEATING	 HEATING DANFOSS	ICON 2 (floor heating Zigbee 3.0)
		ICON (floor heating Zigbee 3.0)
		Smart thermostat Smart modulating thermostat Thermostatic valve
 WINDOW / FRENCH WINDOW	 WINDOW AND PATIO-DOOR SENSORS	Motorised window
		Connected window (requires USB adapter and EnOcean key for TaHoma® switch, requires EnOcean Rail-DIN module for TaHoma® Rail-DIN S)
 WINDOW	 DÉTECTEUR DE FENÊTRE	Slim Opening io detector
 WINDOW	 MOTORISED WINDOW	Motorised sliding and tilt&turn windows: MHS400 Smart, MSA400 Smart, Drive Axxent smart
 WINDOW	 WINDOW SENSOR	mTronic window opening sensor (requires USB adapter and EnOcean key for TaHoma® switch, requires EnOcean Rail-DIN module for TaHoma® Rail-DIN S)
 WINDOW	 WINDOW HANDLE	Signal Security (requires USB adapter and EnOcean key for TaHoma® switch, requires EnOcean Rail-DIN module for TaHoma® Rail-DIN S)
 WINDOW	 WINDOW HANDLE	eSarena (requires USB adapter and EnOcean key for TaHoma® switch, requires EnOcean Rail-DIN module) pour TaHoma® Rail-DIN S)
		D-sign (requires USB adapter and EnOcean key for TaHoma® switch, requires EnOcean Rail-DIN module) pour TaHoma® Rail-DIN S)

Compatibility list 2025 v1

APPLICATION	BRAND	COMPATIBLE RANGES
 WINDOW SENSORS		Slim opening io detector
		Mtronic window sensor (requires USB adapter and EnOcean key for TaHoma® switch, requires EnOcean Rail-DIN module for TaHoma® Rail-DIN S)
APPLICATIF	BRAND	COMPATIBLE RANGES
 AIR QUALITY SENSORS		Open'R sensor by Netsecur
		Intelligent Weather Station
APPLICATIF	BRAND	COMPATIBLE RANGES
 LOCK SYSTEMS	 <small>Ein Unternehmen der SEGENTA GRUPPE</small>	KFV io lock interface
		GU io lock interface
		Connected lock
APPLICATIF	BRAND	COMPATIBLE RANGES
Air conditioning		Universal IR Air Conditioner to AC Cloud Control (Wi-Fi) Interface - 1 unit (INWMPUNI001I000)
		Daikin AC Domestic units to AC Cloud Control (Wi-Fi) Interface - 1 unit (INWFIDAI001I100)
		Fujitsu RAC and VRF systems to AC Cloud Control (Wi-Fi) Interface (to CN connector) - 1 unit (INW-FIFGL001I100)
		LG VRF systems to AC Cloud Control (Wi-Fi) Interface - 1 unit (INWFILGE001R100)
		Toshiba VRF and Digital systems to AC Cloud Control (Wi-Fi) Interface - 1 unit (INWFITOS001R100)
		Universal IR Air Conditioner to AC Cloud Control (Wi-Fi) Interface - 1 unit (INWFIUNI001I000)

Somfy
1 place du Crêtet
BP 138 - 74307 Cluses Cedex
France
www.somfy.fr

A BRAND OF **SOMFY** GROUP

somfy®